

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	189	((shaft or axis or axel) and (pulley) and ((press near work\$3) or press\$work\$3 or roll\$3) and (fix\$3 or secur\$3 or screw\$3) and (((hole or orifice) and (elongat\$3 or oblong or extended)) or slot or groove)).clm.	US-PGPUB	OR	ON	2007/06/27 09:16
S1	1	10/072998	US-PGPUB	OR	ON	2007/06/27 08:38
S88	33	(S66 S67 S72 S73 S78 S79 S82 S83 S84 S87) and @pd>"20060703"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S89	3	("4891669" "62240948" "64007030" "54121149").pn.	USPAT; JPO	OR	ON	2007/06/26 10:11
S90	4	("4891669" "62240948" "64007030" "54121149" "2002317867").pn.	USPAT; JPO	OR	ON	2007/06/26 11:15
S91	589	pulley with flange with hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S92	58099	(pulley near10 (press\$3 or roll\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S93	188	S91 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S94	148	pulley with hole with shaft with (flange or hub) with (attach\$4 or fix\$4 or screw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S95	792	(399/177,206,208,209,210,211,212).cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S96	40	S95 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S97	4961	(pulley near10 (steel or (sheet near metal) or (thin near plate near (metal or material))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19

## EAST Search History

S98	4	S95 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S99	792	S95 or S96 or S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 0	506	(pulley near8 (cutout or "cut out" or cut-out or drawn-shap\$3 or (drawn near shape\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 1	478	(29/892,892.11,892.3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 2	2	S101 and (S92 and S97 and S100)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 3	170	S101 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 4	153	S101 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 5	478	S101 or S102 or S103 or S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 6	627	(254/371,372).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 7	712576	(attach\$4 secur\$4 engag\$4 fix\$3 fasten\$3 coupl\$4 bind\$3) near5 (wire cable rope string cord)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19

## EAST Search History

S10 8	110	S106 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S10 9	627	S106 or S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S11 0	724	(474/174,176,182,903).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S11 1	279	D8/360.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S11 2	8397	carriage and pulley and wire and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S11 3	792	(399/177,206,208,209,210,211,212).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S11 4	64	S112 and S113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:19
S11 5	22	(S93 S94 S99 S100 S105 S106 S109 S110 S111 S114) and @pd>"20070117"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/26 10:22
S11 6	2	("6456807" "6522849").pn.	USPAT; JPO	OR	ON	2007/06/27 09:00